

Author index*

A

- ABILDSKOV, J. A. (*See* McFee, et al.), 391
 ADAM, Y. G. (*See* Dreyfuss, et al.), 470
 ADAMS, PAUL, JR. (*See* Lucas, et al.), 415
 AFONSO, SKODA. (*See* Rowe, et al.), 542
 ANGELAKOS, E. T. (*See* Nelson, et al.), 83
 ANSELM, GUILLERMO, MUÑOZ, SIMON, BLANCO, PABLO, CARBONELL, LUIS, AND PUIGBÓ, JUAN J. Anomalous coronary artery connecting with the right ventricle associated with pulmonary stenosis and atrial septal defect, 406
 ARNOTT, W. MELVILLE, BREWER, D. B., AND HEATH, DONALD. Clinical pathologic conference, 835
 AVIADO, D. M. (*See* Kim and Aviado), 680

B

- BADAWI, H. S., BADR, M. K., HABIB, Y. A., JONSSON, B., KHADR, A., KHALIL, H., AND TAWFICK, I. Corrected transposition of the great vessels. Report of two cases, 119
 BADR, M. K. (*See* Badawi, et al.), 119
 BAKER, ORLAND, KHALAF, JAWDAT, AND CHAPMAN, CARLETON B. A scanner-computer for determining the volumes of cardiac chambers from cinefluorographic films, 797
 BANASIEWICZ, MARIA. (*See* Rodriguez, et al.), 247
 BARNETT, G. OCTO, GREENFIELD, JOSEPH C., JR., AND FOX, SAMUEL M., III. The technique of estimating the instantaneous aortic blood velocity in man from the pressure gradient, 359
 BASHOUR, F. A., MILLER, W. F., AND CHAPMAN, C. B. Pulmonary venoarterial shunting in hepatic cirrhosis, 350
 BEARD, OWEN W. (*See* Hipp, et al.), 43
 BECK, W. (*See* Schrire, et al.), 225
 —. (*See* Vogelpoel, et al.), 101
 BEST, E. B. (*See* Elliott, et al.), 821
 BESWICK, F. W., AND JORDAN, R. C. Effect of expiratory and inspiratory breath-holding on the lead-field spatial vectorcardiogram, 379
 BIÖRCK, GUNNAR. Obituary: Gustav Nylin, 577
 BLANCO, PABLO. (*See* Anselmi, et al.), 406
 BLOUNT, S. GILBERT, JR. (*See* Eliot and Blount), 7
 BLUMENFELD, SERGE. (*See* Scherf, et al.), 670
 BOCCALANDRO, ITALO. (*See* Pileggi, et al.), 447
 BOLAND, H. CHRISTINE. (*See* Holling, et al.), 194
 BOLTAX, ADOLPH J. (*See* Greene, et al.), 659
 BORNEMANN, CARL. (*See* Scherf and Bornemann), 320
 BOWIE, ELIZABETH A. Longevity in tetralogy and trilogy of Fallot. Discussion of cases in patients surviving 40 years and presentation of two further cases, 125
 BRAUN, K. Pulmonary artery dilatation as a cause of chest pain, 715 (Annot.)
 BRAUNWALD, EUGENE. (*See* Frye, et al.), 301
 BRESLER, EMANUEL H. Reflections on the nature of renal tubular reabsorption, 1

- BRISTOW, J. DAVID, PORTER, GEORGE A., AND GRISWOLD, HERBERT E. Observations with the Frank system of vectorcardiography in left ventricular hypertrophy, 621
 BRUMMER, PEKKA, LINKO, EINO, AND KALLIO, VEIKKO. Myocardial infarction treated by early ambulation. Effect of prolonged anticoagulant therapy on the immediate prognosis after discharge from hospital, 478
 BURCH, GEORGE, AND DEPASQUALE, NICHOLAS. Erythrocytosis and ischemic myocardial disease, 139 (Annot.)
 —, AND PHILLIPS, JOHN. Reflex vasodilatation in treatment of peripheral vascular disease, 286 (Annot.)
 BURCH, GEORGE E., AND DEPASQUALE, NICHOLAS P. Polypeptides, proteins, man, and nature, 846
 —. (*See* O'Meallie, et al.), 453
 BURGER, H. C., VAN BRUMMELEN, A. G. W., AND VAN HERPEN, G. Compromise in vectorcardiography. Displacement of electrodes as a means of adapting one lead system to another, 398

C

- CARBONELL, LUIS. (*See* Anselmi, et al.), 406
 CERLETTI, AURELIO. (*See* STÜRMER AND CERLETTI), 149
 CHAPMAN, C. B. (*See* Bashour, et al.), 350
 CHAPMAN, CARLETON B. (*See* Baker, et al.), 797
 CHATTERJEE, E. T. (*See* Nelson, et al.), 83
 CHELIUS, CARL J. (*See* Rowe, et al.), 542
 CHUN, RICHARD B. D. (*See* Zatuchni, et al.), 603
 COGHLAN, CECIL, PRIETO, GUSTAVO, AND HARRISON, T. R. Movement of the heart during the period between the onset of ventricular excitation and the start of left ventricular ejection, 65
 —. (*See* Harrison, et al.), 804
 —. (*See* Prieto, et al.), 528
 COHEN, DOUGLAS. Patent ductus in infancy, 139 (Annot.)
 COMFORT, ALEX. The position of fundamental age studies, 293
 CORBASCIO, ALDO N., AND WEST, JAMES W. Effects of selective myocardial stimulation or depression induced by intracoronary administration of drugs or by obstruction of major vessels. Studies with the dog ultra-low-frequency ballistocardiogram, 785
 CRISCITIELLO, M. G. Atrial myxoma: a diagnostic challenge, 841
 CROW, ERNEST W. (*See* Luna and Crow), 481
 CRUMPTON, CHARLES W. (*See* Rowe, et al.), 542
 CURD, G. W., JR., HICKS, W. M., JR., AND GYORKEY, F. Marked left axis deviation. Indication of cardiac abnormality, 462

D

- DAVIES, S. H. (*See* MacKenzie, et al.), 511
 DAVIGNON, ANDRÉ L., DUSHANE, JAMES W., KINCAID, OWINGS W., AND SWAN, H. J. C.

*July, pp. 1-148; August, pp. 149-292; September, pp. 293-432; October, pp. 433-576; November, pp. 577-720; December, pp. 721-866.

- DAVIGNON, ANDRÉ L., ETC.—Cont'd
Pulmonary atresia with intact ventricular septum. Report of two cases studied by selective angiocardiology and right heart catheterization, 690
- , GREENWOLD, WARREN E., DUSHANE, JAMES W., AND EDWARDS, JESSE E. Congenital pulmonary atresia with intact ventricular septum. Clinicopathologic correlation of two anatomic types, 591
- DÉCOURT, LUIZ V. (See Pileggi, et al.), 447
- DEGEORGE, FRANCES V. (See Mathers, et al.), 634
- DEPASQUALE, NICHOLAS. (See Burch and DePasquale), 139 (Annot.)
- DEXTER, LEWIS. (See McGuire, et al.), 288 (Annot.)
- DODGE, HAROLD T. (See Sandler, et al.), 643
- DONALD, K. W., GLOSTER, J., HARRIS, E. A., REEVES, J., AND HARRIS, P. The production of lactic acid during exercise in normal subjects and in patients with rheumatic heart disease, 494
- DOW, JAMES W. (See Hamer and Dow), 344
- DREYFUSS, F., HAMOSH, P., ADAM, Y. G., AND KALLNER, B. Coronary heart disease and hypertension among Jews immigrated to Israel from the Atlas Mountain region of North Africa, 470
- DUSHANE, JAMES W. (See Davignon, et al.), 591, 690
- E
- EBALD, MUNIR. (See Pileggi, et al.), 447
- EBERT, RICHARD V. (See Hipp, et al.), 43
- EDWARDS, JESSE E. (See Davignon, et al.), 591
- (See Lucas, et al.), 415
- (See Rhoads, et al.), 735
- EISINGER, ROBERT. (See Kissin and Eisinger), 549
- ELIASCH, HAROLD, LAGERLÖF, HENRIK, AND WERKÖ LARS. Pulmonary and renal circulatory adjustments to the upright posture in patients with mitral valvular disease, 519
- ELIOT, ROBERT S., AND BLOUNT, S. GILBERT, JR. Calcium, chelates, and digitalis. A clinical study, 7
- ELLIOTT, LARRY P., BEST, E. B., AND SCHIEBLER, GEROLD L. Aortic atresia. A case report and a review, 821
- ELLIS, LAURENCE, B., AND HARKEN, DWIGHT E. Arterial embolization in relation to mitral valvuloplasty, 611
- ENGER, ERIK. Extracardiac influences on the electrocardiogram in organic heart disease. Observations on a patient with myocarditis, 553
- ERVIN, RUTH. (See Yelnosky and Ervin), 687
- EVANS, WILLIAM, AND LLOYD-THOMAS, H. G. The infrequent normal electrocardiogram in cardiac pain, 51
- F
- FINKELSTEIN, DAVID, AND NIGAGLIONI, ADAN. Electrocardiographic alterations after neurosurgical procedures, 772
- FISCH, CHARLES, AND STEINMETZ, EDWARD F. Supernormal phase of atrioventricular (A-V) conduction due to potassium A-V alternans with first-degree A-V block, 211
- FOLSE, ROLAND. (See Levine and Folse), 830
- FORKNER, CLAUDE E., JR., HUGENHOLTZ, PAUL G., AND LEVINE, HAROLD D. The vectorcardiogram in normal young adults. Frank lead system, 237
- FOX, SAMUEL M., III. (See Barnett, et al.), 359
- FRASER, ROBERT S., AND McDONNELL, C. E. Q-T interval and T-wave amplitude after induced ventricular premature beats, 260
- FRYE, ROBERT L., KAHLER, RICHARD L., AND BRAUNWALD, EUGENE. The ineffectiveness of an inotropic agent, mephentermine (Wyamine), in the treatment of congestive heart failure, 301
- FUJITA, TSUTOMU. (See Sano, et al.), 167
- G
- GESELOWITZ, DAVID B. High-frequency components in the electrocardiogram of normal subjects and of patients with coronary heart disease. Appendix I, 751
- (See Langner, et al.), 746
- GITLOW, STANLEY E. (See Mendlowitz, et al.), 221
- GLAGOV, SEYMOUR. (See Rowley, et al.), 263
- GLOSTER, J. (See Donald, et al.), 494
- GOSHEN, CHARLES E., AND MORRIS, ALAN D. Proposed design for mechanical ECG screening technique, 844
- GREENE, MURRAY A., BOLTAX, ADOLPH J., AND SCHERR, EDWARD S. Acute effects of intravenous chlorothiazide upon cardiovascular hemodynamics, 659
- GREENFIELD, JOSEPH C., JR. (See Barnett, et al.), 359
- GREENWOLD, WARREN E. (See Davignon, et al.), 591
- GRISWOLD, HERBERT E. (See Bristow, et al.), 621
- GROSS, DESIDERIO. Correlation between the shape of the P wave and the length of the P-R interval in normal electrocardiograms, 606
- GURTNER, HANS P. (See Rowe, et al.), 542
- GYORKEY, F. (See Curd, et al.), 462
- H
- HABIB, Y. A. (See Badawi, et al.), 119
- HADDY, FRANCIS J. Autoregulation of blood flow, 565 (Annot.)
- HAMER, NEIL A. J., AND DOW, JAMES W. The indications for measurement of left heart pressures in mitral and aortic valvular disease, 344
- HAMOSH, P. (See Dreyfuss, et al.), 470
- HARKEN, DWIGHT E. (See Ellis and Harken), 611
- HARLEY, H. R. S. What is Fallot's tetralogy, 729
- HARRIS, E. A. (See Donald, et al.), 494
- HARRIS, P. (See Donald, et al.), 494
- HARRISON, DONALD C. (See McGuire, et al.), 288 (Annot.)
- HARRISON, T. R., COGHLAN, CECIL, AND PRIETO, GUSTAVO. Movements of the heart during ejection, 804
- (See Coghlan, et al.), 65
- (See Prieto, et al.), 528
- HAYNES, FLORENCE W. (See McGuire, et al.), 288 (Annot.)
- HECHT, H. H. (See Nelson, et al.), 83
- HEINTZEN, PAUL. The genesis of the normally split first heart sound, 332
- HEYER, HOWARD E. A clinical study of shock occurring during acute myocardial infarction. An analysis of 58 cases, 436
- HICKS, W. M., JR. (See Curd, et al.), 462
- HIPP, HAROLD R., BEARD, OWEN W., TAYLOR, JAMES S., EBERT, RICHARD V., AND ROBINS, MORTON. Initial myocardial infarction among veterans. Nontransmural myocardial infarction. Bundle branch block, 43
- HOLLING, H. EDWARD, BOLAND, H. CHRISTINE, AND RUSS, ELLIER. Investigation of arterial obstruction using a mercury-in-rubber strain gauge, 194
- HUGENHOLTZ, PAUL G. (See Forkner, et al.), 237
- HURST, J. WILLIS. (See Wenger, et al.), 304
- HYLAND, JOHN W. (See McGuire, et al.), 288 (Annot.)

J

- JACOBSON, EUGENE D. (*See* Lobovsky, et al.), 155
 JAMES, THOMAS N. Effective coronary perfusion pressure, 427 (Annot.)
 —. Morphology of the human atrioventricular node, with remarks pertinent to its electrophysiology, 756
 JONES, RUTH. (*See* Martin and Jones), 206
 JONSSON, B. (*See* Badawi, et al.), 119
 JORDAN, R. C. (*See* Beswick and Jordan), 379
 JUDE, JAMES R. Cardiac resuscitation, 286 (Annot.)

K

- KAHLER, RICHARD L. (*See* Frye, et al.), 301
 KALLIO, VEIKKO. (*See* Brummer, et al.), 478
 KALLNER, B. (*See* Dreyfuss, et al.), 470
 KHADR, A. (*See* Badawi, et al.), 119
 KHALAF, JAWDAT. (*See* Baker, et al.), 797
 KHALIL, H. (*See* Badawi, et al.), 119
 KILLEN, DUNCAN A., AND LANCE, EDWARD M. A method of angiocardigraphic visualization of septal defects utilizing transient pulmonary artery tamponade, 190
 KIM, YUNG SUP, AND AVIADO, D. M. Digitalis and the pulmonary circulation, 680
 KINCAID, OWINGS W. (*See* Davignon, et al.), 690
 KISSIN, MILTON, AND EISINGER, ROBERT. Reticulum cell sarcoma of the heart simulating viral pericarditis, 549
 KLIP, W. Isometric contraction and myocardial power, 565 (Annot.)

L

- LAGERLÖF, HENRIK. (*See* Eliasch, et al.), 519
 LANCE, EDWARD M. (*See* Killen and Lance), 190
 LANGNER, PAUL H., JR. Errors encountered in records of the postexercise electrocardiogram, 566
 —, GESELOWITZ, DAVID B., AND MANSURE, FRANK T. High-frequency components in the electrocardiogram of normal subjects and of patients with coronary heart disease, 746
 LAUER, J. ALAN. High-frequency components in the electrocardiogram of normal subjects and of patients with coronary heart disease. Appendix II. Statistical analysis of significance of high-frequency notching, 753
 LESTER, RICHARD G. (*See* Lucas, et al.), 415
 LEVINE, HAROLD D. (*See* Forkner, et al.), 237
 LEVINE, ROBERT J., AND FOLSE, ROLAND. Hemodynamic observations in a case of carcinoid heart disease associated with an atrial right-to-left shunt, 830
 LEVY, HELENA. Partial rupture of pulmonary artery with lesions of medionecrosis in a case of mitral stenosis, 31
 LEVY, ROBERT L. A letter from Sir James Mackenzie to Sir Thomas Lewis, 716 (Annot.)
 LIEBERMAN, ARNOLD. Acute angioneurotic edema of the mitral valve, 714 (Annot.)
 LILLEHEI, C. WALTON. (*See* Lucas, et al.), 415
 LINKO, EINO. (*See* Brummer, et al.), 478
 LLOYD-THOMAS, H. G. (*See* Evans and Lloyd-Thomas), 51
 LOBOVSKY, FRED Y., SCHIESS, WILLIAM, AND JACOBSON, EUGENE D. Studies of hypothermia in ventricular tachycardia after myocardial infarction, 155
 LOPEZ, J. E. (*See* Rowe, et al.), 542
 LOVE, WILLIAM D., AND REED, RICHARD J. Clinical pathologic conference, 703
 —. (*See* O'Meallie, et al.), 453

- LUCAS, RUSSELL V., JR., ADAMS, PAUL, JR., WINCHELL, PAUL, LESTER, RICHARD G., LILLEHEI, C. WALTON, EDWARDS, JESSE E., AND NEUFELD, HENRY N. Clinical pathologic conference, 415
 LUNA, RAFAEL L., AND CROW, ERNEST W. Correlation of degree of pulmonary hypertension with morphology of the QRS in Lead V₁ in cases with evidence of systolic overloading of the right ventricle, 481

M

- MACKENZIE, G. J., WADE, J. D., DAVIES, S. H., AND ZELLOS, S. The circulatory effects of hexadimethrine bromide (Polybrene) in dogs, 511
 MACRUZ, RADI. (*See* Pileggi, et al.), 447
 MALLETA, CARLOS ALBERTO. (*See* Pileggi, et al.), 447
 MANSURE, FRANK T. (*See* Langner, et al.), 746
 MAQUERA, ANDRÉ G. (*See* Valle-Cavero and Maquera), 698
 MARCH, HAROLD W., AND STEPHANOS, STEPHEN P. The use of high-speed cinematography in the analysis of cardiovascular motion, 652
 MARTIN, HELEN EASTMAN, AND JONES, RUTH. The effect of ammonium chloride and sodium bicarbonate on the urinary excretion of magnesium, calcium, and phosphate, 206
 MATHERS, JAMES A. L., OSBORNE, RICHARD H., AND DEGEORGE, FRANCES V. Studies of blood pressure, heart rate, and the electrocardiogram in adult twins, 634
 MCCORMACK, LAWRENCE J. (*See* Proudfit and McCormack), 133
 McDONNELL, C. E. (*See* Fraser and McDonnell), 260
 MCFEE, RICHARD, AND PARUNGAO, AMANTE. An orthogonal lead system for clinical electrocardiography, 93
 —, WILKINSON, ROBERT S., JR., AND ABILDSKOV, J. A. On the normalization of the electrical orientation of the heart and the representation of electrical axis by means of an axis map, 391
 MCGUIRE, LOCKHART B., HYLAND, JOHN W., HARRISON, DONALD C., HAYNES, FLORENCE W., AND DEXTER, LEWIS. Experience with transseptal left heart catheterization, 288 (Annot.)
 MENDLOWITZ, MILTON, NAFTCHI, NOSRAT, WOLF, ROBERT L., AND GITLOW, STANLEY E. Reactivity of the digital blood vessels to angiotensin II in normotensive and hypertensive subjects, 221
 MILLER, W. F. (*See* Bashour, et al.), 350
 MIYAHARA, MITSUO, AND ROBBARD, SIMON. Effect of tilting on RK time in normal subjects and in patients with heart disease, 401
 MOGABGAB, WILLIAM J. Annual influenza vaccination as a lifesaving measure, 587
 MORRIS, ALAN D. (*See* Goshen and Morris), 844
 MOSCOVITZ, HOWARD L. The venous hum, 141 (Annot.)
 MUÑOZ, SIMON. (*See* Anselmi, et al.), 406
 MURDAUGH, HERSHEL V., JR. (*See* Sandler, et al.), 643

N

- NAFTCHI, NOSRAT. (*See* Mendlowitz, et al.), 221
 NEARY, G. J. Ageing and radiation, 433
 NELLEN, M. (*See* Schrire, et al.), 225
 —. (*See* Vogelpoel, et al.), 101
 NELSON, C. V., CHATTERJEE, M., ANGELAKOS, E. T., AND HECHT, H. H. Model studies on the effect of the intracardiac blood on the electrocardiogram, 83

- NEUFELD, HENRY N. (*See* Lucas, et al.), 415
 NIGAGLIONI, ADAN. (*See* Finkelstein and Nigaglioni), 772

O

- OHSHIMA, HISASHI. (*See* Sano, et al.), 167
 O'MEALLIE, L. P., LOVE, WILLIAM D., AND BURCH, GEORGE E. Differentiation of massive pericardial effusion from cardiac dilatation using I^{131} albumin, 453
 OSBORNE, RICHARD H. (*See* Mathers, et al.), 634

P

- PARUNGAO, AMANTE. (*See* McFee and Parungao), 93
 PEELER, ROBERT G. (*See* Weissler, et al.), 367
 PEYMAN, M. ANTHONY. Serum lactescence in normal subjects and in patients with coronary artery disease before and after the administration of sublingual heparin, 676
 PHILLIPS, JOHN. (*See* Burch and Phillips), 286 (Annot.)
 PHINNEY, ARTHUR O., JR. Sarcoid of the myocardial septum with complete heart block. Report of two cases, 270
 PILEGGI, FÚLVIO, BOCCALANDRO, ITALO, EBALD, MUNIR, MALLETA, CARLOS ALBERTO, TRANCHESI, JOÃO, MACRUZ, RADI, AND DÉCOURT, LUIZ V. The vectorcardiogram in interatrial septal defect and persistent atrioventricular canal, 447
 PORTER, GEORGE A. (*See* Bristow, et al.), 621
 PRIETO, GUSTAVO, COGHLAN, CECIL, AND HARRISON, T. R. Movements of the heart during the period between the onset of relaxation and the beginning of ventricular filling, 528
 —. (*See* Coghlan, et al.), 65
 —. (*See* Harrison, et al.), 804
 PROUDFIT, WILLIAM L., AND MCCORMACK, LAWRENCE J. Clinical pathologic conference, 133
 PRUITT, RAYMOND D. (*See* Rhoads, et al.), 735
 PUIGBÓ, JUAN J. (*See* Anselmi, et al.), 406
 PUSHCARR, U. T. Pulmonary, aortic, and precordial rheography in heart insufficiency and in patients with pulmonary arterial hypertension, 287 (Annot.)

R

- REED, RICHARD J. (*See* Love and Reed), 703
 REEVES, J. (*See* Donald, et al.), 494
 REISER, ISAAC. (*See* Shaffer and Reiser), 487
 RHOADS, DONALD V., EDWARDS, JESSE E., AND PRUITT, RAYMOND D. The electrocardiogram in the presence of myocardial infarction and intraventricular block of the left bundle-branch block type, 735
 ROBBINS, STANLEY L. (*See* Rodriguez, et al.), 247
 ROBINS, MORTON. (*See* Hipp, et al.), 43
 RODBARD, SIMON. (*See* Miyahara and Rodbard), 401
 RODRIGUEZ, FELIX L., ROBBINS, STANLEY L., AND BANASIEWICZ, MARIA. The descending septal artery in human, porcine, equine, ovine, bovine, and canine hearts, 247
 ROEHL, WALTER H., JR. (*See* Weissler, et al.), 367
 ROWE, GEORGE G., AFONSO, SKODA, CHELIUS, CARL J., GURTNER, HANS P., LOPEZ, J. E., AND CRUMPTON, CHARLES W. The systemic and coronary hemodynamic effects of guanethidine, 542
 ROWLEY, DONALD A., GLAGOV, SEYMOUR, AND STONER, PETER. Fluid electrodes for monitoring the electrocardiogram during activity and for prolonged periods of time, 263
 RUSS, ELLIER. (*See* Holling, et al.), 194

S

- SALMANOVITCH, W. S. On the cause of S-T-segment shift of electrocardiogram in myocardial infarction, 426 (Annot.)
 SAMARTZIS, MILTIADES D. (*See* Wolff, et al.), 22
 SANDLER, HAROLD, DODGE, HAROLD T., AND MURDAUGH, HERSHEL, V., JR. Effects of isoproterenol on cardiac output and renal function in congestive heart failure, 643
 SANO, TOYOMI, OHSHIMA, HISASHI, FUJITA, TSUTOMU, TSUCHIHASHI, HIROMICHI, AND SHIMAMOTO, TAKIO. Correlation of ECG, VCG, and pathologic findings in subendocardial infarcts and infarct-like lesions experimentally produced by administration of substances of high molecular weight, 167
 SCHERF, DAVID, AND BORNEMANN, CARL. Parasystole with a rapid ventricular center, 320
 —, BLUMENFELD, SERGE, AND YILDIZ, MUHTAR. Experimental study on ventricular extrasystoles provoked by vagal stimulation, 670
 SCHERR, EDWARD S. (*See* Greene, et al.), 659
 SCHIEBLER, GEROLD L. (*See* Elliott, et al.), 821
 SCHIESS, WILLIAM. (*See* Lobovsky, et al.), 155
 SCHMIDT-NIELSEN, BODIL. Concentrating mechanism of the kidney from a comparative viewpoint, 579
 SCHRIRE, V., AND VOGELPOEL, L. The loud musical diastolic murmur of an abnormal rheumatic chorda, 315
 —. (*See* Vogelpoel, et al.), 101
 —, VOGELPOEL L., BECK, W., NELLEN, M., AND SWANEPOEL, A. The effects of amyl nitrite and phenylephrine on the intracardiac murmurs of small ventricular septal defects, 225
 SCOTT, RALPH C. The electrocardiogram in atrial septal defects and atrioventricular cushion defects, 712 (Annot.)
 —. The electrocardiogram in ventricular septal defect, 842 (Annot.)
 SHAFFER, AARON B., AND REISER, ISAAC. Right bundle branch system block in healthy young people, 487
 SHIMAMOTO, TAKIO. (*See* Sano, et al.), 167
 SMULYAN, HAROLD. Reliability of the indicator-dilution technique, 140 (Annot.)
 STEINMETZ, EDWARD F. (*See* Fisch and Steinmetz), 211
 STEPHANOS, STEPHEN P. (*See* March and Stephanos), 652
 STONER, PETER. (*See* Rowley, et al.), 263
 STRAUSS, MAURICE B. Acute suppression of urine, 724
 STÜRMER, EGON, AND CERLETTI, AURELIO. Bradykinin, 149
 SWAN, H. J. C. (*See* Davignon, et al.), 690
 SWANEPOEL, A. (*See* Schrire, et al.), 225
 —. (*See* Vogelpoel, et al.), 101

T

- TAQUINI, ALBERTO C. (*See* Taquini and Taquini), 558
 TAQUINI, ALBERTO C., JR., AND TAQUINI, ALBERTO C. The renin-angiotensin system in hypertension, 558
 TAUSSIG, HELEN B. The cost of medical care, 567 (Annot.)
 TAWFICK, I. (*See* Badawi, et al.), 119
 TAYLOR, JAMES S. (*See* Hipp, et al.), 43
 THREEFOOT, SAM A. Tracers and lymph, 425 (Annot.)

TJONG, ONG SIE, AND VERHEUGT, A. P. M. Peripheral and central arterial pressure pulse in the estimation of the severity of aortic stenosis, 180

TRANCHESI, JOÃO. (*See* Pileggi, et al.), 447

TSUCHIHASHI, HIROMICHI. (*See* Sano, et al.), 167

U

UVNÄS, BÖRJE. The vasodilator nerves, 277

V

VALLE-CAVERO, CESAR, AND MAQUERA, ANDRÉ G. Acquired ventriculo-septal aneurysm with late spontaneous perforation of the septum, 698

VAN BRUMMELEN, A. G. W. (*See* Burger, et al.), 398

VAN HERPEN, G. (*See* Burger, et al.), 398

VERHEUGT, A. P. M. (*See* Tjong and Verheugt), 180

VOCI, GERARDO. (*See* Zatuchni, et al.), 603

VOGELPOEL, L., SCHRIRE, V., BECK, W., NELLEN, M., AND SWANEPOEL, A. The atypical systolic murmur of minute ventricular septal defect and its recognition by amyl nitrite and phenylephrine, 101

——. (*See* Schrire and Vogelpoel), 315

——. (*See* Schrire, et al.), 225

W

WADE, J. D. (*See* MacKenzie, et al.), 511

WATKINS, W. LORRAINE. (*See* Wenger, et al.), 304

WEAVER, NEILL K. Disability absenteeism of industrial workers with myocardial infarcts, 457

WEISSLER, ARNOLD M., PEELER, ROBERT G., AND ROEHL, WALTER H., JR. Relationships between left ventricular ejection time, stroke volume, and heart rate in normal individuals and patients with cardiovascular disease, 367

WENGER, NANETTE KASS, WATKINS, W. LORRAINE, AND HURST, J. WILLIS. A preliminary study of the electrocardiogram of the normal premature infant, 304

WERKÖ, LARS. (*See* Eliasch, et al.), 519

WEST, JAMES W. (*See* Corbascio and West), 785

WILKINSON, ROBERT S., JR. (*See* McFee, et al.), 391

WINCHELL, PAUL. (*See* Lucas, et al.), 415

WOLF, ROBERT L. (*See* Mendlowitz, et al.), 221

WOLFF, LOUIS, SAMARTZIS, MILTIADES D., AND WOLFF, RICHARD. The vectorcardiogram before and after myocardial infarction. Superimposition of serial loops, 22

WOLFF, RICHARD. (*See* Wolff, et al.), 22

Y

YELNOSKY, JOHN, AND ERVIN, RUTH. The effect of ouabain on cardiac automaticity in reserpine-pretreated dogs, 687

YILDIZ, MUHTAR. (*See* Scherf, et al.), 670

Z

ZATUCHNI, JACOB, CHUN, RICHARD B. D., AND VOCI, GERARDO. The flat right atrial border, 603

ZELLOS, S. (*See* MacKenzie, et al.), 511

Subject index*

A

- Abnormality, cardiac, indication of; marked left axis deviation (Curd, et al.), 462
- Absenteeism, disability, of industrial workers with myocardial infarcts (Weaver), 457
- Acknowledgment to reviewers, 721
- Adults, young, normal, vectorcardiogram in. Frank lead system (Forkner, et al.), 237
- Age studies, fundamental, position of (Comfort), 293
- Ageing and radiation (Neary), 433
- Albumin, I³¹, differentiation of massive pericardial effusion from cardiac dilatation using (O'Meallie, et al.), 453
- Alterations, electrocardiographic, after neurosurgical procedures (Finkelstein and Nigaglioni), 772
- Alternans, A-V, potassium, with first-degree A-V block, supernormal phase of atrioventricular (A-V) conduction due to (Fisch and Steinmetz), 211
- Ambulation, early, myocardial infarction treated by. Effect of prolonged anticoagulant therapy on immediate prognosis after discharge from hospital (Brummer, et al.), 478
- Ammonium chloride and sodium bicarbonate, effect of, on urinary excretion of magnesium, calcium, and phosphate (Martin and Jones), 206
- Amplitude, T-wave, Q-T interval and, after induced ventricular premature beats (Fraser and McDonnell), 260
- Amyl nitrite and phenylephrine, atypical systolic murmur of minute ventricular septal defect and its recognition by (Vogelpoel, et al.) 101
 - effects of, on intracardiac murmurs of small ventricular septal defects (Schrire, et al.), 225
- Aneurysm, ventriculo-septal, acquired, with late spontaneous perforation of septum (Valle-Cavero and Maquera), 698
- Aneurysms, dissecting (Table II) (Levy), 36
- Angina pectoris, Behandlung der, mit "Tersavid" und anderen Monoaminoxidasehemmern, 147 (B. Rev.)
- Angiocardiographic visualization of septal defects, method of, utilizing transient pulmonary artery tamponade (Killen and Lance), 190
- Angiocardiography, selective, and right heart catheterization, report of two cases studied by. Pulmonary atresia with intact ventricular septum (Davignon, et al.), 690
- Angioneurotic edema, acute, of mitral valve (Lieberman), 714 (Annot.)
- Angiotensin II, reactivity of digital blood vessels to, in normotensive and hypertensive subjects (Mendlowitz, et al.), 221
- Animal hearts, descending septal artery in (Rodriguez, et al.), 252
- Annotations, 139, 286, 425, 565, 712, 841
- Announcements, 148, 432, 576, 720
- Anticoagulant therapy, prolonged, effect of, on immediate prognosis after discharge from hospital. Myocardial infarction treated by early ambulation (Brummer, et al.), 478
 - symposium on, 847 (B. Rev.)
- Aorta, dextroposition of (Harley), 729
- Aortic atresia. Case report and review (Elliott, et al.), 821
 - blood velocity, instantaneous, technique of estimating, in man from pressure gradient (Barnett, et al.), 359
 - mitral and, valvular disease, indications for measurement of left heart pressures in (Hamer and Dow), 344
 - pulmonary, and precordial rheography in heart insufficiency and in patients with pulmonary arterial hypertension (Pushcarr), 287 (Annot.)
 - stenosis, either pure or in combination with other valvular diseases, hemodynamic studies in 26 patients with (Table I) (Tjong and Verheugt), 182
 - peripheral and central arterial pressure pulse in estimation of severity of (Tjong and Verheugt), 180
- Arterial embolization in relation to mitral valvuloplasty (Ellis and Harken), 611
 - hypertension, pulmonary, pulmonary, aortic and precordial rheography in heart insufficiency and in patients with (Pushcarr), 287 (Annot.)
 - obstruction, investigation of, using mercury-in-rubber strain gauge (Holling, et al.), 194
 - pressure pulse, peripheral and central, in estimation of severity of aortic stenosis (Tjong and Verheugt), 180
- Arteries, blood flow in, 146 (B. Rev.)
- Arteriosklerose: Ätiologie, Pathologie, Klinik, und Therapie, 718 (B. Rev.)
- Artery, coronary, anomalous, connecting with right ventricle associated with pulmonary stenosis and atrial septal defect (Anselmi, et al.), 406
 - disease, serum lactescence in normal subjects and in patients with, before and after administration of sublingual heparin (Peyman), 676
 - pulmonary, dilatation, as cause of chest pain (Braun), 715 (Annot.)
 - partial rupture of, with lesions of medionecrosis in case of mitral stenosis (Levy), 31
 - tamponade, transient, method of angiocardiographic visualization of septal defects utilizing (Killen and Lance), 190
 - septal, descending, in human, porcine, equine, ovine, bovine, and canine hearts (Rodriguez, et al.), 247
- Atresia, aortic. Case report and review (Elliott, et al.), 821
 - pulmonary, congenital, with intact ventricular septum. Clinicopathologic correlation of two anatomic types (Davignon, et al.), 591

*July, pp. 1-148; August, pp. 149-292; September, pp. 293-432; October, pp. 433-576; November, pp. 577-720; December, pp. 721-866.

Atresia, pulmonary—Cont'd

with intact ventricular septum. Report of two cases studied by selective angiocardiography and right heart catheterization (Davignon, et al.), 690

Atrial border, right, flat (Zatuchni, et al.), 603

fibrillation, summary of 12 patients with, 7 of whom were digitalized (Table V) (Eliot and Blount), 12

myxoma: diagnostic challenge (Criscitiello), 841 (Annot.)

right-to-left shunt, hemodynamic observations in case of carcinoid heart disease associated with (Levine and Folse), 830

septal defect, anomalous coronary artery connecting with right ventricle associated with pulmonary stenosis and (Anselmi, et al.), 406

defects and atrioventricular cushion defects, electrocardiogram in (Scott), 712 (Annot.)

thrombosis, incidence of, in relation to severity of disease, rhythm, and occurrence of preoperative emboli (Table IV) (Ellis and Harken), 615

Atrioventricular (A-V) conduction, supernormal phase of, due to potassium. A-V alternans with first-degree A-V block (Fisch and Steinmetz), 211

canal, persistent, vectorcardiogram in interatrial septal defect and (Pileggi, et al.), 447

cushion defects, electrocardiogram in atrial septal defects and (Scott), 712 (Annot.)

node, human, morphology of, with remarks pertinent to its electrophysiology (James), 756

Autoregulation of blood flow (Haddy), 565 (Annot.)

A-V alternans, with first-degree A-V block. Supernormal phase of atrioventricular (A-V) conduction due to potassium (Fisch and Steinmetz), 211

block, complete, in patients believed to be digitalis intoxicated (Table III) (Eliot and Blount), 11

second-degree, in patients with digitalis intoxication (Table II) (Eliot and Blount), 10

dissociation believed to have resulted from digitalis intoxication (Table IV) (Eliot and Blount), 12

Axis deviation, left, marked. Indication of cardiac abnormality (Curd, et al.), 462

electrical, on normalization of electrical orientation of heart and representation of, by means of axis map (McFee, et al.), 391

B

Ballistocardiogram, ultralow-frequency, dog, studies with; effects of selective myocardial stimulation or depression induced by intracoronary administration of drugs or by obstruction of major vessels (Corbascio and West), 785

Beats, premature, ventricular, induced, Q-T interval and T-wave amplitude after (Fraser and McDonnell), 260

Biological systems, other, flow properties of blood and, 719 (B. Rev.)

Block, bundle branch. Initial myocardial infarction among veterans. Nontransmural myocardial infarction (Hipp, et al.), 43

system, right, in healthy young people (Shaffer and Reiser), 487

first-degree A-V, supernormal phase of atrioventricular (A-V) conduction due to potassium A-V alternans with (Fisch and Steinmetz), 211

Block—Cont'd

heart, complete, sarcoid of myocardial septum with. Report of two cases (Phinney), 270

intraventricular of left bundle-branch block type, electrocardiogram in presence of myocardial infarction and (Rhoads, et al.), 735

Blood flow, autoregulation of (Haddy), 565 (Annot.)

in arteries, 146 (B. Rev.)

properties of, and other biological systems, 719 (B. Rev.)

intracardiac, model studies on effect of, on electrocardiogram (Nelson, et al.), 83

pressure, heart rate, and electrocardiogram, studies of, in adult twins (Mathers, et al.), 634

velocity, aortic, instantaneous, in man, technique of estimating, from pressure gradient (Barnett, et al.), 359

vessels, digital, reactivity of, to angiotensin II in normotensive and hypertensive subjects (Mendlowitz, et al.), 221

Book reviews, 145, 290, 431, 574, 718, 847

Border, atrial, right, flat (Zatuchni, et al.), 603

Bradykinin; editorial (Stürmer and Cerletti), 149

Breath-holding, expiratory and inspiratory, effect of, on lead-field spatial vectorcardiogram (Beswick and Jordan), 379

Bundle branch block (Hipp, et al.), 48

Initial myocardial infarction among veterans. Nontransmural myocardial infarction (Hipp, et al.), 43

left, type, electrocardiogram in presence of myocardial infarction and intraventricular block of (Rhoads, et al.), 735

persistent, autopsy findings in cases of (Hipp, et al.), 48

system block, right, in healthy young people (Shaffer and Reiser), 487

C

Calcium, chelates, and digitalis. Clinical study (Eliot and Blount), 7

magnesium, and phosphate, effect of ammonium chloride and sodium bicarbonate on urinary excretion of (Martin and Jones), 206

Canal, atrioventricular, persistent, vectorcardiogram in interatrial septal defect and (Pileggi, et al.), 447

Carcinoid heart disease, hemodynamic observations in case of, associated with atrial right-to-left shunt (Levine and Folse), 830

Cardiac abnormality, indication of; marked left axis deviation (Curd, et al.), 462

automaticity, effect of ouabain on, in reserpine-pretreated dogs (Yelnosky and Ervin), 687

chambers, scanner-computer for determining volumes of, from cinefluorographic films (Baker, et al.), 797

dilatation, differentiation of massive pericardial effusion from, using I¹³¹ albumin (O'Meallie, et al.), 453

output and renal function, effects of isoproterenol on, in congestive heart failure (Sandler, et al.), 643

pain, infrequent normal electrocardiogram in (Evans and Lloyd-Thomas), 51

problems, 575 (B. Rev.)

resuscitation (Jude), 286 (Annot.)

surgery, modern trends in, 431 (B. Rev.)

Cardiology. Encyclopedia of cardiovascular system. Volume 5: Related specialty fields, 574 (B. Rev.)

modern trends in, 848 (B. Rev.)

Cardiopulmonary physiology, clinical, 145 (B. Rev.)

- Cardiovascular disease, relationships between left ventricular ejection time, stroke volume, and heart rate in normal individuals and patients with (Weissler, et al.), 367
- hemodynamics, acute effects of intravenous chlorothiazide upon (Greene, et al.), 659
- motion, use of high-speed cinematography in analysis of (March and Stephanos), 652
- system, encyclopedia of, cardiology. Volume 5. Related specialty fields, 574 (B. Rev.)
- Carotid pulse, systolic movements of precordium in relation to (Table IV) (Harrison, et al.), 810
- Catheterization, left heart, transseptal, experience with (McGuire, et al.), 288 (Annot.)
- right heart, report of two cases studied by selective angiocardiology and. Pulmonary atresia with intact ventricular septum (Davignon, et al.), 690
- Chambers, cardiac, scanner-computer for determining volumes of, from cinefluorographic films (Baker, et al.), 797
- Chelates, calcium, and digitalis. Clinical study (Eliot and Blount), 7
- Chest pain, pulmonary artery dilatation as cause of (Braun), 715 (Annot.)
- roentgenology, fundamentals of, 146 (B. Rev.)
- Chlorothiazide, cardiovascular hemodynamics before and after administration of (Table I) (Greene, et al.), 662
- intravenous, acute effects of, upon cardiovascular hemodynamics (Greene, et al.), 659
- Chorda, rheumatic, abnormal, loud musical diastolic murmur of (Schrire and Vogelpoel), 315
- Cinefluorographic films, scanner-computer for determining volumes of cardiac chambers from (Baker, et al.), 797
- Cinematography, high-speed, use of, in analysis of cardiovascular motion (March and Stephanos), 652
- Circulation, pulmonary, digitalis and (Kim and Aviado), 680
- Circulatory adjustments, pulmonary and renal, to upright posture in patients with mitral valvular disease (Eliasch, et al.), 519
- effects of hexadimethrine bromide (Polybrene) in dogs (MacKenzie, et al.), 511
- studies, digital, statistical analysis of; reactivity to infused angiotensin II (AT) (Table I) (Mendlowitz, et al.), 222
- Cirrhosis, hepatic, pulmonary venoarterial shunting in (Bashour, et al.), 350
- of liver, gaseous exchange in patients with, on breathing room air (Table I) (Bashour, et al.), 350
- Clinical and phonocardiographic study; heart sounds and murmurs, 431 (B. Rev.)
- cardiopulmonary physiology, 145 (B. Rev.)
- disturbances of renal function, 431 (B. Rev.)
- pathologic conference (Arnott, et al.), 835 (Love and Reed), 703 (Lucas, et al.), 415 (Proudfit and McCormack), 133
- Concentrating mechanism of kidney from comparative viewpoint (Schmidt-Nielsen), 579
- Conduction, atrioventricular (A-V), supernormal phase of, due to potassium A-V alternans with first-degree A-V block (Fisch and Steinmetz), 211
- Congestive heart failure, ineffectiveness of inotropic agent, mephentermine (Wyamine), in treatment of (Frye, et al.), 301
- Contraction, isometric, and myocardial power (Klip), 565 (Annot.)
- pressure velocity changes in dogs during (Table II) (Coghlan, et al.), 77
- Coronary artery, anomalous, connecting with right ventricle associated with pulmonary stenosis and atrial septal defect (Anselmi, et al.), 406
- disease, serum lactescence in normal subjects and in patients with, before and after administration of sublingual heparin (Peyman), 676
- heart disease and hypertension among Jews immigrated to Israel from Atlas Mountain region of North Africa (Dreyfuss, et al.), 470
- high-frequency components in electrocardiogram of normal subjects and of patients with (Langner, et al.), 746
- perfusion pressure, effective (James), 427 (Annot.)
- systemic and, hemodynamic effects of guanethidine (Rowe, et al.), 542
- Cushion defects, atrioventricular, electrocardiogram in atrial septal defects and (Scott), 712 (Annot.)
- Cutaneous innervation (Volume I); advances in biology of skin, 291 (B. Rev.)

D

- Depression, effects of selective myocardial stimulation or, induced by intracoronary administration of drugs or by obstruction of major vessels. Studies with dog ultralow-frequency ballistocardiogram (Corbascio and West), 785
- Deviation, left axis, marked. Indication of cardiac abnormality (Curd, et al.), 462
- Diastolic murmur, musical, loud, of abnormal rheumatic chorda (Schrire and Vogelpoel), 315
- Digital blood vessels, reactivity of, to angiotensin II in normotensive and hypertensive subjects (Mendlowitz, et al.), 221
- Digitalis and pulmonary circulation (Kim and Aviado), 680
- calcium, chelates, and. Clinical study (Eliot and Blount), 7
- intoxicated, complete A-V block in patients believed to be (Table III) (Eliot and Blount), 11
- intoxication, second-degree A-V block in patients with (Table II) (Eliot and Blount), 10
- Dilatation, cardiac, differentiation of massive pericardial effusion from, using I^{131} albumin (O'Meallie, et al.), 453
- pulmonary artery, as cause of chest pain (Braun), 715 (Annot.)
- Dogs, circulatory effects of hexadimethrine bromide (Polybrene) in (MacKenzie, et al.), 511
- Dorsal-root vasodilator nerves (Uvnäs), 277
- Drugs, effects of selective myocardial stimulation or depression induced by intracoronary administration of, or by obstruction of major vessels. Studies with dog ultralow-frequency ballistocardiogram (Corbascio and West), 785

E

- ECG alterations, incidence of, after various neurosurgical procedures (Table II) (Finkelstein and Nigaglioni), 778
- screening technique, mechanical, proposed design for (Goshen and Morris), 844 (Annot.)
- VCG, and pathologic findings, correlation of, in subendocardial infarcts and infarct-like lesions experimentally produced by administration of substances of high molecular weight (Sano, et al.), 167
- Edema, angioneurotic, acute, of mitral valve (Lieberman), 714 (Annot.)

- Editorials, 1, 149, 293, 433, 579, 587, 724
- Acute suppression of urine (Strauss), 724
- Ageing and radiation (Neary), 433
- Annual influenza vaccination as a lifesaving measure (Mogabgab), 587
- Bradykinin (Stürmer and Cerletti), 149
- Concentrating mechanism of the kidney from a comparative viewpoint (Schmidt-Nielsen), 579
- Position of fundamental age studies (Comfort), 293
- Reflections on the nature of renal tubular reabsorption (Bresler), 1
- Effusion, pericardial, massive, differentiation of, from cardiac dilatation using I^{131} albumin (O'Meallie, et al.), 453
- Ejection, left ventricular, movement of heart during period between onset of ventricular excitation and start of (Coghlan, et al.), 65
- precordial motions during period between onset of excitation and start of (Table I) (Coghlan, et al.), 76
- movements of heart during (Harrison, et al.) 804
- rapid, mean times and amplitudes of larger movements during (Table II) (Harrison, et al.), 808
- summary of changes in pressure velocity in cardiac chambers and great arteries of dogs during (Table I) (Harrison, et al.), 808
- time, comparison of, from carotid pulse tracing and central aortic pressure curve (Table I) (Weissler, et al.), 368
- ventricular, left, stroke volume, and heart rate, relationships between, in normal individuals and patients with cardiovascular disease (Weissler, et al.), 367
- Electrical orientation of heart, on normalization of, and representation of electrical axis by means of axis map (McFee, et al.), 391
- Electrocardiogram, exercise, place of, in diagnosis of cardiac pain (Evans and Lloyd-Thomas), 60
- extracardiac influences on, in organic heart disease. Observations on patient with myocarditis (Enger), 553
- fluid electrodes for monitoring, during activity and for prolonged periods of time (Rowley, et al.), 263
- in atrial septal defects and atrioventricular cushion defects (Scott), 712 (Annot.)
- in healthy subjects after exercise (Evans and Lloyd-Thomas), 52
- in presence of myocardial infarction and intraventricular block of left bundle-branch block type (Rhoads, et al.), 735
- in ventricular septal defect (Scott), 842 (Annot.)
- Mean interpair and mean intrapair variances for monozygotic and dizygotic twins (Table III) (Mathers, et al.), 639
- model studies on effect of intracardiac blood on (Nelson, et al.), 83
- normal, infrequent, in cardiac pain (Evans and Lloyd-Thomas), 51
- of normal premature infant, preliminary study of (Wenger, et al.), 304
- subjects and of patients with coronary heart disease, high-frequency components in (Langner, et al.), 746
- on cause of S-T-segment shift of, in myocardial infarction (Salmanovitch), 426 (Annot.)
- postexercise, errors encountered in records of (Langner), 566 (Annot.)
- studies of blood pressure, heart rate, and, in adult twins (Mathers, et al.), 634
- Electrocardiograms, normal, correlation between shape of P wave and length of P-R interval in (Gross), 606
- Electrocardiographic alterations after neurosurgical procedures (Finkelstein and Nigaglioni), 772
- changes, certain, incidence of, according to location and size of infarct (Table I) (Rhoads, et al.), 737
- Electrocardiography, clinical, orthogonal lead system for (McFee and Parungao), 93
- Electrodes, displacement of, as means of adapting one lead system to another; compromise in vectorcardiography (Burger, et al.), 398
- fluid, for monitoring electrocardiogram during activity and for prolonged periods of time (Rowley, et al.), 263
- Electrophysiology, morphology of human atrioventricular node, with remarks pertinent to (James), 756
- Elektrolytausscheidung bei hypertonie, renale Hämodynamik, Wasser-und, 574 (B. Rev.)
- Emboli, operative, incidence of, in relation to classification of patients, rhythm, and occurrence of preoperative embolization (Table I) (Ellis and Harken), 614
- Embolization, arterial, in relation to mitral valvuloplasty (Ellis and Harken), 611
- operative, incidence of, in patients who had emboli within 8 weeks before operation versus those who had earlier emboli (Table II) (Ellis and Harken), 614
- Erythrocytosis and ischemic myocardial disease (Burch and DePasquale), 139 (Annot.)
- Excitation, precordial motions during period between onset of, and start of left ventricular ejection (Table I) (Coghlan, et al.), 76
- ventricular, movement of heart during period between onset of, and start of left ventricular ejection (Coghlan, et al.), 65
- Exercise, production of lactic acid during, in normal subjects and in patients with rheumatic heart disease (Donald, et al.), 494
- Extracardiac influences on electrocardiogram in organic heart disease. Observations on patient with myocarditis (Enger), 553
- Extrasystoles, ventricular, provoked by vagal stimulation, experimental study on (Scherf, et al.), 670

F

- Failure, heart, congestive, effects of isoproterenol on cardiac output and renal function in (Sandler, et al.), 643
- ineffectiveness of inotropic agent, mephentermine (Wyamine), in treatment of (Frye, et al.), 301
- Fallot, longevity in tetralogy and triology of. Discussion of cases in patients surviving 40 years and presentation of two further cases (Bowie), 125
- tetralogy of (Bowie), 128
- trilogy of (Bowie), 125
- Fallot's tetralogy, definition of (Harley), 732
- what is (Harley), 729
- Fibrillation, atrial, summary of 12 patients with, 7 of whom were digitalized (Table V) (Eliot and Blount), 12
- Filling, ventricular, movements of heart during period between onset of relaxation and beginning of (Prieto, et al.), 528
- Films, cinefluorographic, scanner-computer for determining volumes of cardiac chambers from (Baker, et al.) 797
- First heart sound, normally split, genesis of (Heintzen), 332

- Fluid electrodes for monitoring electrocardiogram during activity and for prolonged periods of time (Rowley, et al.), 263
- Frank lead system; vectorcardiogram in normal young adults (Forkner, et al.) 237
- system of vectorcardiography, observations with, in left ventricular hypertrophy (Bristow, et al.), 621
- G
- Gauge, strain, mercury-in-rubber, investigation of arterial obstruction using (Holling, et al.), 194
- Gradient, pressure, technique of estimating instantaneous aortic blood velocity in man from (Barnett, et al.), 359
- Great vessels, atlas of acquired diseases of heart and, 847 (B. Rev.)
- corrected transposition of. Report of 2 cases (Badawi, et al.), 119
- Guanethidine, systemic and coronary hemodynamic effects of (Rowe, et al.), 542
- H
- Heart and great vessels, atlas of acquired diseases of, 847 (B. Rev.)
- block, complete, sarcoid of myocardial septum with. Report of two cases (Phinney), 270
- first-degree (Table I) (Eliot and Blount), 8
- catheterization, left, transseptal, experience with (McGuire, et al.), 288 (Annot.)
- disease, carcinoid, hemodynamic observations in case of, associated with atrial right-to-left shunt (Levine and Folse), 830
- coronary, and hypertension among Jews immigrated to Israel from Atlas Mountain region of North Africa (Dreyfuss, et al.), 470
- high-frequency components in electrocardiogram of normal subjects and of patients with (Langner, et al.), 746
- effect of tilting on RK time in normal subjects and in patients with (Miyahara and Rodbard), 401
- organic, extracardiac influences on electrocardiogram in. Observations on patient with myocarditis (Enger), 553
- rheumatic, production of lactic acid during exercise in normal subjects and in patients with (Donald, et al.), 494
- failure, congestive, effects of isoproterenol on cardiac output and renal function in (Sandler, et al.), 643
- ineffectiveness of inotropic agent, mephentermine (Wyamine), in treatment of (Frye, et al.), 301
- insufficiency, pulmonary, aortic and precordial rheography in, and in patients with pulmonary arterial hypertension (Pushcarr), 287 (Annot.)
- movement of, during period between onset of ventricular excitation and start of left ventricular ejection (Coghlan, et al.), 65
- movements of during ejection (Harrison, et al.), 804
- period between onset of relaxation and beginning of ventricular filling (Prieto, et al.), 528
- on normalization of electrical orientation of, and representation of electrical axis by means of axis map (McFee, et al.), 391
- pressures, left, indications for measurement of, in mitral and aortic valvular disease (Hamer and Dow), 344
- rate, blood pressure, and electrocardiogram, studies of, in adult twins (Mathers, et al.), 634
- Heart rate—Cont'd
- mean, and Q-T interval (Lead A), effect of breath-holding on (Table I) (Beswick and Jordan), 380
- relationships between left ventricular ejection time, stroke volume and, in normal individuals and patients with cardiovascular disease (Weissler, et al.), 367
- reticulum cell sarcoma of, simulating viral pericarditis (Kissin and Eisinger), 549
- right catheterization, report of two cases studied by selective angiocardiology and. Pulmonary atresia with intact ventricular septum (Davignon, et al.), 690
- sound, first normally split, genesis of (Heintzen), 332
- sounds and murmurs: clinical and phonocardiographic study, 431 (B. Rev.)
- Hearts, human, porcine, equine, ovine, bovine, and canine, descending septal artery in (Rodriguez, et al.), 247
- Hemodynamic effects, systemic and coronary, of guanethidine (Rowe, et al.), 542
- observations in case of carcinoid heart disease associated with atrial right-to-left shunt (Levine and Folse), 830
- studies in 26 patients with aortic stenosis, either pure or in combination with other valvular diseases (Table I) (Tjong and Verheugt), 182
- Hemodynamics, cardiovascular, acute effects of intravenous chlorothiazide upon (Greene, et al.), 659
- Heparin, sublingual serum lactescence in normal subjects and in patients with coronary artery disease before and after administration of (Peyman), 676
- Hepatic cirrhosis, pulmonary venoarterial shunting in (Bashour, et al.), 350
- Hexadimethrine bromide (Polybrene), circulatory effects of, in dogs (MacKenzie, et al.), 511
- High-frequency components in electrocardiogram of normal subjects and of patients with coronary heart disease (Langner, et al.), 746
- Human atrioventricular node, morphology of, with remarks pertinent to its electrophysiology (James), 756
- hearts, descending septal artery in (Rodriguez, et al.), 247
- Hypertension, pulmonary arterial, pulmonary, aortic and precordial rheography in heart insufficiency and in patients with (Pushcarr), 287 (Annot.)
- coronary heart disease and, among Jews immigrated to Israel from Atlas Mountain region of North Africa (Dreyfuss, et al.), 470
- essential, 718 (B. Rev.)
- pulmonary, correlation of degree of, with morphology of QRS in Lead V₁ in cases with evidence of systolic overloading of right ventricle (Luna and Crow), 481
- renin-angiotensin system in (Taquini and Taquini), 558
- Hypertensive subjects, normotensive and, reactivity of digital blood vessels to angiotensin II in (Mendlowitz, et al.), 221
- Hypertonie, renale Hämodynamik, Wasser-und Electrolytausscheidung bei, 574 (B. Rev.)
- Hypertrophy, ventricular, left, observations with Frank system of vectorcardiography in (Bristow, et al.), 621
- Hypokinetic disease, 719 (B. Rev.)
- Hypothermia, studies of, in ventricular tachycardia after myocardial infarction (Lobovsky, et al.), 155

I

- ¹³¹I albumin, differentiation of massive pericardial effusion from cardiac dilatation using (O'Meallie, et al.), 453
- Indicator-dilution technique, reliability of (Smulyan), 140 (Annot.)
- Industrial workers with myocardial infarcts, disability absenteeism of (Weaver), 457
- Infancy, patent ductus in (Cohen), 139 (Annot.)
- Infant, premature, normal, preliminary study of electrocardiogram of (Wenger, et al.), 304
- Infarction, myocardial, acute, clinical study of shock occurring during. An analysis of 58 cases (Heyer), 436
- and intraventricular block of left bundle-branch block type, electrocardiogram in presence of (Rhoads, et al.), 735
- initial, among veterans. Nontransmural myocardial infarction. Bundle branch block (Hipp, et al.), 43
- on cause of S-T-segment shift of electrocardiogram in (Salmanovitch), 426 (Annot.)
- studies of hypothermia in ventricular tachycardia after (Lobovsky, et al.) 155
- treated by early ambulation. Effect of prolonged anticoagulant therapy on immediate prognosis after discharge from hospital (Brummer, et al.), 478
- vectorcardiogram before and after. Superimposition of serial loops (Wolff, et al.), 22
- nontransmural, autopsy findings in patients dying with (Hipp, et al.), 46
- Infarcts, myocardial, disability absenteeism of industrial workers with (Weaver), 457
- subendocardial, and infarct-like lesions experimentally produced by administration of substances of high molecular weight, correlation of ECG, VCG, and pathologic findings in (Sano, et al.), 167
- Influenza vaccination, annual, as lifesaving measure (Mogabgab), 587
- Innerer Krankheiten, Differentialdiagnose, 147 (B. Rev.)
- Innervation, cutaneous (Volume I); advances in biology of skin, 291 (B. Rev.)
- intact, results obtained from 5 dogs with, and 3 other dogs (Table I) (Kim and Aviado), 682
- vasomotor, general remarks on (Uvnäs), 277
- Inotropic agent, mephentermine (Wyamine), ineffectiveness of, in treatment of congestive heart failure (Frye, et al.), 301
- Insufficiency, heart, pulmonary, aortic and precordial rheography in, and in patients with pulmonary arterial hypertension (Pushcarr), 287 (Annot.)
- Interatrial septal defect, vectorcardiogram in, and persistent atrioventricular canal (Pileggi, et al.), 447
- Internal medicine, advances in, 290 (B. Rev.)
- Interval, Q-T, and T-wave amplitude after induced ventricular premature beats (Fraser and McDonnell), 260
- Intracardiac blood, model studies on effect of, on electrocardiogram (Nelson, et al.), 83
- murmurs of small ventricular septal defects, effects of amyl nitrite and phenylephrine on (Schrire, et al.), 225
- Intracoronary administration of drugs, effects of selective myocardial stimulation or depression induced by, or by obstruction of major vessels. Studies with dog ultralow-frequency ballistocardiogram (Corbascio and West), 785

- Intraventricular block of left bundle-branch block type, electrocardiogram in presence of myocardial infarction and (Rhoads, et al.), 735
- Isometric contraction and myocardial power (Klip), 565 (Annot.)
- pressure velocity changes in dogs during (Table II) (Coghlan, et al.), 77
- Isoproterenol, effects of, on cardiac output and renal function in congestive heart failure (Sandler, et al.) 643

J

- Jews immigrated to Israel from Atlas Mountain region of North Africa, coronary heart disease and hypertension among (Dreyfuss, et al.), 470

K

- Kidney, concentrating mechanism of, from comparative viewpoint (Schmidt-Nielsen), 579

L

- Lactescence, serum, in normal subjects and in patients with coronary artery disease before and after administration of sublingual heparin (Peyman), 676
- Lactic acid, production of, during exercise in normal subjects and in patients with rheumatic heart disease (Donald, et al.), 494
- Laennec: his life and times, 291 (B. Rev.)
- Lead system, Frank; vectorcardiogram in normal young adults (Forkner, et al.), 237
- one, displacement of electrodes as means of adapting, to another; compromise in vectorcardiography (Burger, et al.), 398
- orthogonal, for clinical electrocardiography (McFee and Parungao), 93
- V₁, correlation of degree of pulmonary hypertension with morphology of QRS in, in cases with evidence of systolic overloading of right ventricle (Luna and Crow), 481
- Lead-field spatial vectorcardiogram, effect of expiratory and inspiratory breath-holding on (Beswick and Jordan), 379
- Lesions, infarct-like, experimentally produced by administration of substances of high molecular weight, correlation of ECG, VCG, and pathologic findings in subendocardial infarcts and (Sano, et al.), 167
- Letters to Editor, 143, 430, 569
- Lewis, Sir Thomas, letter from Sir James Mackenzie to (Levy), 716 (Annot.)
- Longevity in tetralogy and trilogy of Fallot. Discussion of cases in patients surviving 40 years and presentation of two further cases (Bowie), 125
- Loops, serial, superimposition of; vectorcardiogram before and after myocardial infarction (Wolff, et al.), 22
- Lymph, tracers and (Threefoot), 425 (Annot.)

M

- Mackenzie, Sir James, letter from, to Sir Thomas Lewis (Levy), 716 (Annot.)
- Magnesium, calcium, and phosphate, effect of ammonium chloride and sodium bicarbonate on urinary excretion of (Martin and Jones), 206
- Man, polypeptides, proteins, and nature (Burch and DePasquale), 846 (Annot.)
- Map, axis, on normalization of electrical orientation of heart and representation of electrical axis by means of (McFee, et al.) 391

- Medical care, cost of (Taussig), 567 (Annot.)
 Medicine, internal, advances in, 290 (B. Rev.)
 Medionecrosis, cases of (Table I) (Levy), 34
 partial rupture of pulmonary artery with lesions of, in case of mitral stenosis (Levy), 31
 Mephentermine (Wyamine), inotropic agent, ineffectiveness of, in treatment of congestive heart failure (Frye, et al.), 301
 Mitral and aortic valvular disease, indications for measurement of left heart pressures in (Hamer and Dow), 344
 stenosis, partial rupture of pulmonary artery with lesions of medionecrosis in case of (Levy), 31
 surgery of, 290 (B. Rev.)
 valve, acute angioneurotic edema of (Lieberman), 714 (Annot.)
 valvular disease, pulmonary and renal circulatory adjustments to upright posture in patients with (Eliasch, et al.) 519
 valvuloplasty, arterial embolization in relation to (Ellis and Harken), 611
 Monoaminoxidasehemmer, anderen, Behandlung der Angina pectoris mit "Tersavid" und, 147 (B. Rev.)
 Mortality, factors modifying age-dependent increase in; position of fundamental age studies (Comfort), 295
 Motion, cardiovascular, use of high-speed cinematography in analysis of (March and Stephanos), 652
 Murmur, diastolic, musical, loud, of abnormal rheumatic chorda (Schrire and Vogelpoel), 315
 systolic, atypical, of minute ventricular septal defect and its recognition by amyl nitrite and phenylephrine (Vogelpoel, et al.), 101
 Murmurs, heart sounds and: clinical and phonocardiographic study, 431 (B. Rev.)
 intracardiac, of small ventricular septal defects, effects of amyl nitrite and phenylephrine on (Schrire, et al.), 225
 Musical diastolic murmur, loud, of abnormal rheumatic chorda (Schrire and Vogelpoel), 315
 Myocardial disease, ischemic, erythrocytosis and (Burch and DePasquale), 139 (Annot.)
 infarction, acute, clinical study of shock occurring during. An analysis of 58 cases (Heyer), 436
 and intraventricular block of left bundle-branch block type, electrocardiogram in presence of (Rhoads, et al.), 735
 initial, among veterans. Nontransmural myocardial infarction. Bundle branch block (Hipp et al.), 43
 on cause of S-T-segment shift of electrocardiogram in (Salmanovitch), 426 (Annot.)
 studies of hypothermia in ventricular tachycardia after (Lobovsky, et al.), 155
 treated by early ambulation. Effect of prolonged anticoagulant therapy on immediate prognosis after discharge from hospital (Blummer, et al.), 478
 vectorcardiogram before and after. Superimposition of serial loops (Wolff, et al.), 22
 infarcts, disability absenteeism of industrial workers with (Weaver), 457
 power, isometric contraction and (Klip), 565 (Annot.)
 septum, sarcoid of, with complete heart block. Report of two cases (Phinney), 270
 stimulation or depression, selective, induced by intracoronary administration of drugs or by obstruction of major vessels, effects of. Studies with dog ultralow-frequency ballistocardiogram (Corbascio and West), 785
 Myocarditis, observations on patient with; extracardiac influences on electrocardiogram in organic heart disease (Enger), 553
 Myxoma, atrial: diagnostic challenge, 841 (Annot.)
- ## N
- Nature, polypeptides, proteins, man and (Burch and DePasquale), 846 (Annot.)
 Nerves, vasodilator (Uvnäs), 277
 Neurosurgical procedures, electrocardiographic alterations after (Finkelstein and Nigaglioni), 772
 Nierenkrankheiten, 145 (B. Rev.)
 Node, atrioventricular, human, morphology of, with remarks pertinent to its electrophysiology (James), 756
 Nontransmural myocardial infarction. Bundle branch block. Initial myocardial infarction among veterans (Hipp, et al.), 43
 Normotensive and hypertensive subjects, reactivity of digital blood vessels to angiotensin II in (Mendlowitz, et al.) 221
 Notching, high-frequency, statistical analysis of significance of (Appendix II) (Lauer), 753
 Nylin, Gustav: obituary (Biörck), 577
- ## O
- Obituary: Gustav Nylin, 1892-1961 (Biörck), 577
 Obstruction, arterial, investigation of, using mercury-in-rubber strain gauge (Holling, et al.), 194
 Organic heart disease, extracardiac influences on electrocardiogram in. Observations on patient with myocarditis (Enger), 553
 Orientation, electrical, of heart, on normalization of, and representation of electrical axis by means of axis map (McFee, et al.), 391
 Orthogonal lead system for clinical electrocardiography (McFee and Parungao), 93
 Ouabain, effect of, on cardiac automaticity in reserpine-pretreated dogs (Yelnosky and Ervin), 687
 Overloading, systolic, of right ventricle, correlation of degree of pulmonary hypertension with morphology of QRS in Lead V₁ in cases with evidence of (Luna and Crow), 481
- ## P
- P wave, correlation between shape of, and length of P-R interval, duration of P wave, P-R segment, and ratio of P/P-R segment (Table I) (Gross), 607
 in normal electrocardiograms (Gross), 606
 Pain, cardiac, infrequent normal electrocardiogram in (Evans and Lloyd-Thomas), 51
 place of exercise electrocardiogram in diagnosis of (Evans and Lloyd-Thomas), 61
 chest, pulmonary artery dilatation as cause of (Braun), 715 (Annot.)
 Parasympathetic vasodilator nerves (Uvnäs), 283
 Parasystole with rapid ventricular center (Scherf and Bornemann), 320
 Patent ductus in infancy (Cohen), 139 (Annot.)
 Pathologic findings, correlation of ECG, VCG, and, in subendocardial infarcts and infarct-like lesions experimentally produced by administration of substances of high molecular weight (Sano, et al.), 167
 Perforation, spontaneous, late, of septum, acquired ventriculo-septal aneurysm with (Valle-Cavero and Maquera), 698
 Perfusion pressure, coronary, effective (James), 427 (Annot.)

Pericardial effusion, massive, differentiation of, from cardiac dilatation using I^{131} albumin (O'Meallie, et al.), 453

Pericarditis, viral, reticulum cell sarcoma of heart simulating (Kissin and Eisinger), 549

Peripheral vascular diseases, reflex vasodilatation in treatment of (Burch and Phillips), 286 (Annot.)

Phenylephrine, atypical systolic murmur of minute ventricular septal defect and its recognition by amyl nitrite and (Vogelpoel, et al.), 101

effects of amyl nitrite and, on intracardiac murmurs of small ventricular septal defects (Schrire, et al.), 225

Phonocardiographic, clinical and, study; heart sounds and murmurs, 431 (B. Rev.)

Phosphate, effect of ammonium chloride and sodium bicarbonate on urinary excretion of magnesium, calcium, and (Martin and Jones), 206

Physiologie des Menschen, Einführung in, 575 (B. Rev.)

Physiology, cardiopulmonary, clinical, 145 (B. Rev.)

Polypeptides, proteins, man, and nature (Burch and DePasquale), 846 (Annot.)

Postexercise electrocardiogram, errors encountered in records of (Langner), 566 (Annot.)

Posture, upright, pulmonary and renal circulatory adjustments to, in patients with mitral valvular disease (Eliasch, et al.), 519

Potassium, supernormal phase of atrioventricular (A-V) conduction due to. A-V alternans with first-degree A-V block (Fisch and Steinmetz), 211

P-R interval, correlation between shape of P wave and length of, in normal electrocardiograms (Gross), 606

incidence of differently shaped P waves at different lengths of (Table II) (Gross), 608

Precordial motions during period between onset of excitation and start of left ventricular ejection (Table I) (Coghlan, et al.), 76

from onset of left ventricular ejection to start of carotid upstroke (Table III) (Harrison, et al.), 810

movements, summary of, during relaxation (Table I) (Prieto, et al.), 530

rheography, pulmonary, aortic and, in heart insufficiency and in patients with pulmonary arterial hypertension (Pushcarr), 287 (Annot.)

Premature beats, ventricular, induced, Q-T interval and T-wave amplitude after (Fraser and McDonnell), 260

infant, normal, preliminary study of electrocardiogram of (Wenger, et al.), 304

Pressure, blood, heart rate, and electrocardiogram, studies of, in adult twins (Mathers, et al.), 634

gradient, technique of estimating instantaneous aortic blood velocity in man from (Barnett, et al.), 359

perfusion, coronary, effective (James), 427 (Annot.)

pulse, arterial, peripheral and central, in estimation of severity of aortic stenosis (Tjong and Verheugt), 180

velocity, changes in, as observed in dogs during ventricular relaxation (Table II) (Prieto, et al.), 532

in dogs during isometric contraction (Table II) (Coghlan, et al.), 77

Pressures, left heart, indications for measurement of, in mitral and aortic valvular disease (Hamer and Dow), 344

Proteins, polypeptides, man, and nature (Burch and DePasquale), 846 (Annot.)

Pulmonary and renal circulatory adjustments to upright posture in patients with mitral valvular disease (Eliasch et al.), 519

aortic, and precordial rheography in heart insufficiency and in patients with pulmonary arterial hypertension (Pushcarr), 287 (Annot.)

artery dilatation as cause of chest pain (Braun), 715 (Annot.)

partial rupture of, with lesions of medionecrosis in case of mitral stenosis (Levy), 31

tamponade, transient, method of angiocardigraphic visualization of septal defects utilizing (Killen and Lance), 190

atresia, congenital, with intact ventricular septum. Clinicopathologic correlation of two anatomic types (Davignon, et al.), 591

with intact ventricular septum. Report of two cases studied by selective angiocardigraphy and right heart catheterization (Davignon, et al.), 690

circulation, digitalis and (Kim and Aviado), 680

hypertension, correlation of degree of, with morphology of QRS in Lead V_1 in cases with evidence of systolic overloading of right ventricle (Luna and Crow), 481

stenosis (Harley), 731

and atrial septal defect, anomalous coronary artery connecting with right ventricle associated with (Anselmi, et al.), 406

venoarterial shunting in hepatic cirrhosis (Bas-hour, et al.), 350

Pulse, pressure, arterial, peripheral and central, in estimation of severity of aortic stenosis (Tjong and Verheugt), 180

Q

QRS in Lead V_1 , correlation of degree of pulmonary hypertension with morphology of, in cases with evidence of systolic overloading of right ventricle (Luna and Crow), 481

Q-T interval and T-wave amplitude after induced ventricular premature beats (Fraser and McDonnell), 260

(Lead A), effect of breath-holding on mean heart rate and (Table I) (Beswick and Jordan), 380

R

Radiation, ageing and (Neary), 433

Rate, heart, blood pressure, and electrocardiogram, studies of, in adult twins (Mathers, et al.), 634

relationships between left ventricular ejection time, stroke volume, and, in normal individuals and patients with cardiovascular disease (Weissler, et al.), 367

Reabsorption, renal tubular, reflections on nature of (Bresler), 1

Relaxation, movements of heart during period between onset of, and beginning of ventricular filling (Prieto, et al.), 528

Renal function, clinical disturbances of, 431 (B. Rev.)

effects of isoproterenol on cardiac output and, in congestive heart failure (Sandler, et al.), 643

circulatory adjustments, pulmonary and, to upright posture in patients with mitral valvular disease (Eliasch, et al.), 519

tubular reabsorption, reflections on nature of (Bresler), 1

- Renin-angiotensin system in hypertension (Taquini and Taquini), 558
- Reserpine-pretreated dogs, effect of ouabain on cardiac automaticity in (Yelnosky and Ervin), 687
- Resuscitation, cardiac (Jude), 286 (Annot.)
- Reticulum cell sarcoma of heart simulating viral pericarditis (Kissin and Eisinger), 549
- Rheography, pulmonary, aortic, and precordial, in heart insufficiency and in patients with pulmonary arterial hypertension (Pushcarr), 287 (Annot.)
- Rheumatic chorda, abnormal, loud musical diastolic murmur of (Schrire and Vogelpoel), 315
- heart disease, production of lactic acid during exercise in normal subjects and in patients with (Donald, et al.), 494
- RK time in normal subjects and in patients with heart disease, effect of tilting on (Miyahara and Rodbard), 401
- RLF-plane mean vector angles, effect of breath-holding on, as determined from Limb Leads I and II (Table II) (Beswick and Jordan), 380
- Roentgenology, chest, fundamentals of, 146 (B. Rev.)
- Rupture, partial, of pulmonary artery with lesions of medionecrosis in case of mitral stenosis (Levy), 31
- Ruptures, spontaneous (Table III) (Levy), 38
- S
- Sarcoid of myocardial septum with complete heart block. Report of two cases (Phinney), 270
- Sarcoma, reticulum cell, of heart, simulating viral pericarditis (Kissin and Eisinger), 549
- Scanner-computer for determining volumes of cardiac chambers from cinefluorographic films (Baker, et al.), 797
- Screening technique, ECG, mechanical, proposed design for (Goshen and Morris), 844 (Annot.)
- Septal artery, descending, in human, porcine, equine, ovine, bovine, and canine hearts (Rodriguez, et al.), 247
- defect, atrial, anomalous coronary artery connecting with right ventricle associated with pulmonary stenosis and (Anselmi, et al.), 406
- interatrial, vectorcardiogram in, and persistent atrioventricular canal (Pileggi, et al.), 447
- ventricular (Harley), 730
- electrocardiogram in (Scott), 842 (Annot.)
- minute, atypical systolic murmur of, and its recognition by amyl nitrite and phenylephrine (Vogelpoel, et al.), 101
- small, apparent spontaneous cure of (Vogelpoel, et al.), 106
- defects, atrial, and atrioventricular cushion defects, electrocardiogram in (Scott), 712 (Annot.)
- method of angiocardigraphic visualization of, utilizing transient pulmonary artery tamponade (Killen and Lance), 190
- ventricular, small, effects of amyl nitrite and phenylephrine on intracardiac murmurs of (Schrire, et al.), 225
- Septum, acquired ventriculo-septal aneurysm with late spontaneous perforation of (Valle-Cavero and Maquera), 698
- myocardial, sarcoid of, with complete heart block. Report of two cases (Phinney), 270
- ventricular, intact, congenital pulmonary atresia with. Clinicopathologic correlation of two anatomic types (Davignon, et al.), 591
- Septum, ventricular, intact—Cont'd
- pulmonary atresia with. Report of two cases studied by selective angiocardigraphy and right heart catheterization (Davignon, et al.), 690
- Serial loops, superimposition of; vectorcardiogram before and after myocardial infarction (Wolff, et al.), 22
- Serum lactescence in normal subjects and in patients with coronary artery disease before and after administration of sublingual heparin (Peyman), 676
- Shock, clinical study of, occurring during acute myocardial infarction. An analysis of 58 cases (Heyer), 436
- Shunt, right-to-left, atrial, hemodynamic observations in case of carcinoid heart disease associated with (Levine and Folse), 830
- Shunting, venoarterial, pulmonary, in hepatic cirrhosis (Bashour, et al.), 350
- Skin, advances in biology of. Volume I. Cutaneous innervation, 291 (B. Rev.)
- Sodium bicarbonate, effect of ammonium chloride and, on urinary excretion of magnesium, calcium, and phosphate (Martin and Jones), 206
- Sound, heart, first, normally split, genesis of (Heintzen), 332
- Spatial vectorcardiogram, lead-field, effect of expiratory and inspiratory breath-holding on (Beswick and Jordan), 379
- Statistical analysis of significance of high-frequency notching (Appendix II) (Lauer), 753
- Stenosis, aortic, either pure or in combination with other valvular diseases, hemodynamic studies in 26 patients with (Table I) (Tjong and Verheugt), 182
- peripheral and central arterial pressure pulse in estimation of severity of (Tjong and Verheugt), 180
- mitral, partial rupture of pulmonary artery with lesions of medionecrosis in case of (Levy), 31
- surgery of, 290 (B. Rev.)
- pulmonary, and atrial septal defect, anomalous coronary artery connecting with right ventricle associated with (Anselmi, et al.), 406
- Stimulation or depression, myocardial, selective, induced by intracoronary administration of drugs or by obstruction of major vessels, effects of. Studies with dog ultralow-frequency ballistocardiogram (Corbascio and West), 785
- vagal, experimental study on ventricular extrasystoles provoked by (Scherf, et al.), 670
- Strain gauge, mercury-in-rubber, investigation of arterial obstruction using (Holling, et al.), 194
- Stroke volume, left ventricular ejection time, and heart rate, relationships between, in normal individuals and patients with cardiovascular disease (Weissler, et al.), 367
- S-T-segment shift of electrocardiogram, on cause of, in myocardial infarction (Salmanovitch), 426 (Annot.)
- Sturge-Weber syndrome, 429 (Annot.)
- Subendocardial infarcts and infarct-like lesions experimentally produced by administration of substances of high molecular weight, correlation of ECG, VCG, and pathologic findings in (Sano, et al.), 167
- Surgery, cardiac, modern trends in, 431 (B. Rev.)
- of mitral stenosis, 290 (B. Rev.)
- Sympathetic vasodilator nerves (Uvnäs), 279

- System, lead, one, displacement of electrodes as means of adapting, to another; compromise in vectorcardiography (Burger, et al.), 398
- Systemic and coronary hemodynamic effects of guanethidine (Rowe, et al.), 542
- Systolic mean pressure, systolic mean pressure gradient, flows, and areas using aorta and brachial artery, comparison of (Table II) (Tjong and Verheugt), 184
- murmur, atypical, of minute ventricular septal defect and its recognition by amyl nitrite and phenylephrine (Vogelpoel, et al.), 101
- overloading of right ventricle, correlation of degree of pulmonary hypertension with morphology of QRS in Lead V₁ in cases with evidence of (Luna and Crow), 481

T

- Tachycardia, ventricular, after myocardial infarction, studies of hypothermia in (Lobovsky, et al.), 155
- Tamponade, transient pulmonary artery, method of angiocardigraphic visualization of septal defects utilizing (Killen and Lance), 190
- "Tersavid" und anderen Monoaminoxidasehemern, Behandlung der Angina pectoris mit, 147 (B. Rev.)
- Tetralogy and trilogy of Fallot, longevity in. Discussion of cases in patients surviving 40 years and presentation of two further cases (Bowie), 125
- Fallot's, what is (Harley), 729
- of Fallot (Bowie), 128
- Therapy, anticoagulant, prolonged, effect of, on immediate prognosis after discharge from hospital. Myocardial infarction treated by early ambulation (Brummer, et al.), 478
- Tilting, effect of, on RK time, in normal subjects and in patients with heart disease (Miyahara and Rodbard), 401
- Tracers and lymph (Threefoot), 425 (Annot.)
- Transposition, corrected, of great vessels. Report of 2 cases (Badawi, et al.), 119
- Transseptal left heart catheterization, experience with (McGuire, et al.), 288 (Annot.)
- Trilogy, longevity in tetralogy and, of Fallot. Discussion of cases in patients surviving 40 years and presentation of two further cases (Bowie), 125
- of Fallot (Bowie), 125
- Tubular reabsorption, renal, reflections on nature of (Bresler), 1
- T-wave amplitude, Q-T interval and, after induced ventricular premature beats (Fraser and McDonnell), 260
- Twins, adult, studies of blood pressure, heart rate, and electrocardiogram in (Mathers, et al.), 634

U

- Urinary excretion of magnesium, calcium, and phosphate, effect of ammonium chloride and sodium bicarbonate on (Martin and Jones), 206

V

- Vaccination, influenza, annual, as lifesaving measure (Mogabgab), 587
- Vagal stimulation, experimental study on ventricular extrasystoles provoked by (Scherf, et al.), 670
- Valve, mitral, acute angioneurotic edema of (Lieberman), 714 (Annot.)
- Valvular disease, mitral and aortic, indications for measurement of left heart pressures in (Hamer and Dow), 344

- Valvular disease, mitral—Cont'd
- pulmonary and renal circulatory adjustments to upright posture in patients with (Eliasch, et al.), 519
- Valvuloplasty, mitral, arterial embolization in relation to (Ellis and Harken), 611
- Varicose veins. Practical manual, 718 (B. Rev.)
- Vascular diseases, peripheral, reflex vasodilatation in treatment of (Burch and Phillips), 286 (Annot.)
- Vasodilatation, reflex, in treatment of peripheral vascular diseases (Burch and Phillips), 286 (Annot.)
- Vasodilator nerves (Uvnäs), 277
- Vasomotor innervation, dual, of skeletal muscles (in dog and cat), remarks on physiology of (Table I) (Uvnäs), 279
- general remarks on (Uvnäs), 277
- VCG, ECG, and pathologic findings, correlation of, in subendocardial infarcts and infarct-like lesions experimentally produced by administration of substances of high molecular weight, 167
- Vectorcardiogram before and after myocardial infarction. Superimposition of serial loops (Wolff, et al.), 22
- in interatrial septal defect and persistent atrioventricular canal (Pileggi, et al.), 447
- in normal young adults. Frank lead system (Forkner, et al.), 237
- spatial, lead-field, effect of expiratory and inspiratory breath-holding on (Beswick and Jordan), 379
- Vectorcardiograms, Frank, results of analysis of, in 41 patients with left ventricular hypertrophy (Table II) (Bristow, et al.) 622
- Vectorcardiography, compromise in. Displacement of electrodes as means of adapting one lead system to another (Burger, et al.), 398
- observations with Frank system of, in left ventricular hypertrophy (Bristow, et al.), 621
- Veins, varicose. Practical manual, 718 (B. Rev.)
- Velocity, instantaneous aortic blood, in man, technique of estimating, from pressure gradient (Barnett, et al.), 359
- pressure, changes in, as observed in dogs during ventricular relaxation (Table II) (Prieto, et al.), 532
- in dogs during isometric contraction (Table II) (Coghlan, et al.), 77
- Venoarterial shunting, pulmonary, in hepatic cirrhosis (Bashour, et al.), 350
- Venous hum (Moscovitz), 142 (Annot.)
- Ventricle, right, associated with pulmonary stenosis and atrial septal defect, anomalous coronary artery connecting with (Anselmi, et al.), 406
- correlation of degree of pulmonary hypertension with morphology of QRS in Lead V₁ in cases with evidence of systolic overloading of (Luna and Crow), 481
- hypertrophy of (Harley), 729
- Ventricular center, rapid, parasystole with (Scherf and Bornemann), 320
- contraction and relaxation, summary of normal precordial movements during (Table III) (Prieto, et al.), 534
- contractions, premature, summary of findings in patients with, on digitalis (Table VI) (Eliot and Blount), 14
- ejection, left, precordial motions during period between onset of excitation and start of (Table I) (Coghlan, et al.), 76
- time, left, stroke volume, and heart rate, relationships between, in normal individuals

- Ventricular ejection, left—Cont'd
 and patients with cardiovascular disease (Weissler, et al.), 367
 excitation, movement of heart during period between onset of, and start of left ventricular ejection (Coghlan, et al.), 65
 extrasystoles provoked by vagal stimulation, experimental study on (Scherf, et al.), 670
 filling, movements of heart during period between onset of relaxation and beginning of (Prieto, et al.), 528
 hypertrophy, left, composition by disease and age of the group of 46 patients with (Table I) (Bristow, et al.), 622
 observations with Frank system of vectorcardiography in (Bristow, et al.), 621
 premature beats, induced, Q-T interval and T-wave amplitude after (Fraser and McDonnell), 260
 septal defect, electrocardiogram in (Scott), 842 (Annot.)
 minute, atypical systolic murmur of, and its recognition by amyl nitrite and phenylephrine (Vogelpoel, et al.), 101
 small, apparent spontaneous cure of (Vogelpoel, et al.), 106
 defects, small, effects of amyl nitrite and phenylephrine on intracardiac murmurs of (Schrire, et al.), 225
 septum, intact, congenital pulmonary atresia with. Clinicopathologic correlation of two anatomic types (Davignon, et al.), 591
- Ventricular septum, intact—Cont'd
 pulmonary atresia with. Report of two cases studied by selective angiocardiography and right heart catheterization (Davignon, et al.), 690
 tachycardia after myocardial infarction, studies of hypothermia in (Lobovsky, et al.), 155
 Ventriculo-septal aneurysm, acquired, with late spontaneous perforation of septum (Valle-Cavero and Maquera), 698
 Vertebrate vital statistics; position of fundamental age studies (Comfort), 294
 Vessels, great, corrected transposition of. Report of 2 cases (Badawi, et al.), 19
 major, effects of selective myocardial stimulation or depression induced by intracoronary administration of drugs or by obstruction of. Studies with dog ultralow-frequency ballistocardiogram (Corbascio and West), 785
 Veterans, initial myocardial infarction among. Non-transmural myocardial infarction. Bundle branch block (Hipp, et al.), 43
 Viral pericarditis, reticulum cell sarcoma of heart simulating (Kissin and Eisinger), 549
 Volume, stroke, left ventricular ejection time, and heart rate, relationships between, in normal individuals and patients with cardiovascular disease (Weissler, et al.), 367

W

- Workers, industrial, with myocardial infarcts, disability absenteeism of (Weaver), 457

